



CounterPath Corporation

Suite 300, Bentall One Centre
505 Burrard Street Box 95
Vancouver BC V7X 1M3
Canada V6B1R8

Telephone: +1.604.320.3344
www.counterpath.com

**Release Notes for
eyeBeam 1.5.18.1**

February 15, 2008

New Features

Microsoft Windows Vista® operating system is now supported.

Known Limitations

Intel Phone Adapter

- Users employing the Intel® 600SM PCI phone adaptor card may experience an issue with being unable to dial more than seven digits. To modify the adaptor's driver to allow dialing more than seven digits, follow this procedure:
 - Access the computer's device manager by right-clicking **My Computer** and selecting **Manager > Device Manager**.
 - Look under "Sounds, Video, Game Controllers" for the 600SM PCI Phone Adaptor.
 - Right-click the device to open the **Properties** dialog for this device, then navigate to the **Properties** tab.
 - Modify the Country/Region setting as desired to an appropriate value for dialing more than seven digits.

Fixed Problems

The Severity field describes the impact of a problem:

- B: Blocks development and/or testing work
- C: Critical problem that crashes, or results in loss of data or severe memory leak
- M: Major, resulting in major loss of function.
- N: Normal.
- Min: Minimal, resulting in minor loss of function.
- E: Enhancement

| Severity | ID | Description |
|----------|------|--|
| B | 6096 | Crash when hanging up call from Yealink in a multi call situation |
| B | 8177 | USE_PRESENCE=0 breaks privacy manager |
| B | 8472 | Cannot dial from SIP_URI |
| B | 9513 | During installation "Welcome page of setup, Exit Setup & Folder Exists" dialog contains ".n" |
| B | 9532 | provisioning of updated proxy settings fails |
| C | 5997 | svchost.exe 100% on laptops... consumes more and more memory |
| C | 8479 | VISTA crash in DNS module with eyeBeam 1.5 |
| C | 9509 | Headset keeps ringing after callee rejects the call |
| C | 9510 | Eyebeam is using "Update" method instead of "Invite" for re-invite |
| C | 9517 | Crash on transfer. |
| C | 9559 | infinitum.exe continues to run after exited softphone |
| M | 8149 | Codec clamping is done via a setting |
| M | 8171 | Polycom: Eyebeam crashes when plug-in polycom while a call is running |

| Severity | ID | Description |
|----------|------|--|
| M | 8208 | Eyebeam crash when switch between USB devices on Vista |
| M | 8495 | Auto-Update fails to launch the new installer on Windows Vista |
| N | 4515 | DNS SRV: failover and load balancing |
| N | 5624 | Speakerphone LED on wireless Yealink device does not work |
| N | 6274 | eyebeam modifies route-set after a dialog has been established |
| N | 6735 | eyeBeam never contacts user-specified XTunnels 2 server |
| N | 6784 | 200 OK response to re-invite should have all codecs |
| N | 6883 | yealink doesn't work on vista |
| N | 6912 | computerid value changes on some systems |
| N | 7121 | Line button tooltips show wrong message |
| N | 7149 | "Debug" in "simple view" does not work |
| N | 7264 | logging does not always work |
| N | 7305 | Eyebeam can't handle response of 0 0 0 <Root> for SRV DNS query _sip._tcp |
| N | 7648 | Plantronics CS-50 does not work under Vista |
| N | 7681 | Consider removing Intel Qos |
| N | 7800 | cannot send CIF video. |
| N | 8117 | Yealink can't hang up a call answered from softphone |
| N | 8125 | Eyebeam crashes when exit while the LCD is showing 'Registering' |
| N | 8173 | "about" dialog does not correctly render Logo.bmp |
| N | 8183 | 1-way audio issue occurs with eyeBeam and PSTN (Symmetric NAT) as X-tunnels or TURN server not advertised in "c" line of SDP |
| N | 8244 | QoS:Numeric Values are set to zero on reopening the page |
| N | 8256 | cannot write to webdav if set invalid http proxy for system network |
| N | 8270 | Late log initialization (after the abstract phone start notification) |
| N | 8291 | REGISTER failed when the signaling protocol is set to "Automatic" |
| N | 8488 | Delay in answering. |
| N | 8654 | Eyebeam crashes upon startup when network is not available |
| N | 8843 | Remove "Target Domain" setting from Account Settings |
| N | 8884 | Tool-tip always shows 'Home' as default contact method if same number is given for non-softphone contact methods |
| N | 8919 | Runtime error comes when exit while a line is selected if your end is blocked for IM at some other end |
| N | 8930 | installer: should prompt user to set default sip application at end of installation |
| N | 8949 | Wrong IP address is sent in o and c lines with 5.17 |

| Severity | ID | Description |
|-----------------|-----------|--|
| N | 9086 | eyeBeam crash on INVITE with replaces |
| N | 9316 | SRTP: accept multiple SSRC for an SRTP session |
| N | 9514 | MWI icon is not display on Call Panel |
| N | 9516 | EULA needs to be updated |